



# **SURAT SMART CITY DEVELOPMENT LIMITED**

## **AMENDMENT /ADDENDUM/ CORRIGENDUM NO. 3**

**Tender ID No. : 241392**

**Tender Notice No. : GM (IT) / SSCDL /ABD(16)/01/2016-17**

**Name of Work : Visual Improvement of Roads consisting of Up gradation, Augmentation, Foot path & Cycle track works, Utility Duct, Road Markings, Street Furniture, Traffic signage, Bus Shelter, Vending Kiosk, Street Landscaping works and other Miscellaneous works along with Operation and Maintenance of Tendered works for Period of Five Years on Preparation of Working Drawings, Procurement and Construction Basis.**

**In pursuance to the Prebid meeting held on 19.01.2017 and queries raised by the bidders, Following are the amendments:**

**The intending bidders are requested to take the note of the following changes and accordingly shall have to submit the Tender. Bidder shall have to submit duly sealed and signed hard copy of the same along with physical submission of EMD, Tender fee .. etc i.e on or before 28/2/2017 upto 17:00 hrs.**

**Statement showing the amendments to the existing clause in tender volumes published online**

Reference Of Tender Clause						Instead Of	Now Read As
Sr. No.	Volume No.	Page No.	Clause No.	Para No./ Sr No.	Line		
1	I	13	Qualifying Criteria – Similar Nature of Work			<p><b>A. Similar nature of Work :</b> The bidder must have completed similar nature of work i.e. Road works for National Highway / State Highway / Ring Road Project in Metro Cities on Engineering, Procurement &amp; Construction basis within last seven financial years i.e.for a period starting from 01/04/2010 and ending one month prior to Bid Submission Date One contract of Rs 134.00 Cr <b>(80% of the estimated cost)</b> Or Two contracts of Rs 84.00 Cr each <b>(50% of the estimated cost)</b> Or Three contracts of Rs 67.00 Cr each <b>(40% of the estimated cost)</b></p>	<p><b>A. Similar nature of Work :</b> The bidder must have completed similar nature of work i.e. Road works for National Highway / State Highway / Ring Road Project in Metro Cities / Runways / BRTS Road in cities / Roads in Cities / Roads for any Semi government organization / any Corporation in India within last seven financial years i.e. . for a period starting from 01/04/2010 and ending one month prior to Bid Submission Date One contract of Rs 98.00 Cr <b>(80% of the estimated cost)</b> Or Two contracts of Rs 61.00 Cr each <b>(50% of the estimated cost)</b> Or Three contracts of Rs 49.00 Cr each <b>(40% of the estimated cost)</b></p>
2	I	13-14	Qualifying Criteria			<p><b>C. Construction Experience in Key Activities ( Physical Criteria)</b> (ii) Completed M25 grade and above Grade of concrete work of Quantity 9,000 Cum in the form of slab and wall in a Single Project</p>	<p><b>C. Construction Experience in Key Activities ( Physical Criteria)</b> (ii) Completed M25 grade and above Grade of concrete work of Quantity 9,000 Cum in the form of slab and / or wall in a Single Project</p>
3	1	15-16	Joint Venture	2		<p>Joint venture consortium of <b>Maximum Two</b> firms/ members / companies, as partners shall be allowed for the works.</p>	<p>Joint venture consortium of <b>Maximum Two</b> firms/ members / companies, as partners shall be allowed for the works.</p>

Reference Of Tender Clause						Instead Of	Now Read As
Sr. No.	Volume No.	Page No.	Clause No.	Para No./ Sr No.	Line		
						<p>All the Members of the JV shall be jointly and severally responsible for this Contract. The Member of the JV holding highest stake shall be the Lead Partner. The JV shall comply with the following requirements:</p> <p>(a) A Joint venture agreement must be submitted along with the documents in which minimum share of lead member shall have to be 75% and share of other members, individually shall not be less than 15%.</p> <p>(b) All the members of the Joint Venture firms shall have to collectively satisfy all the criteria mentioned.</p> <p><b>Note:</b></p> <p>In case, the applicant/JV partner has achieved physical &amp; financial performance for the criteria mentioned above in past, in joint venture with other Contractor (other than present JV partner), the portion of the work (physically and financially) of the contractor included in their Joint Venture Agreement in original contract work shall only be</p>	<p>All the Members of the JV shall be jointly and severally responsible for this Contract. The Member of the JV holding highest stake shall be the Lead Partner. The JV shall comply with the following requirements:</p> <p>(a) A Joint venture agreement must be submitted along with the documents in which minimum share of lead member shall have to be 51% and share of other members, individually shall not be less than 25%.</p> <p>(b) All the members of the Joint Venture firms shall have to collectively satisfy all the criteria mentioned.</p> <p><b>Note:</b></p> <p>In case, the applicant/JV partner has achieved physical &amp; financial performance for the criteria mentioned above in past, in joint venture with other Contractor (other than present JV partner), the portion of the work (physically and financially) of the contractor included in their Joint Venture Agreement in original contract work shall only be considered for evaluation purpose.</p> <p>In joint venture consortium the lead partner</p>

Reference Of Tender Clause						Instead Of	Now Read As
Sr. No.	Volume No.	Page No.	Clause No.	Para No./ Sr No.	Line		
						<p>considered for evaluation purpose.</p> <p>In joint venture consortium the lead partner shall only be an Indian citizen, Indian partnership firm or Indian private/ public limited company.</p> <p>The Lead Member shall have “AA” class Registration with any of the department of State Government, Surat Municipal Corporation, Central Government etc.</p>	<p>shall be an Indian citizen, Indian partnership firm or Indian private/ public limited company.</p> <p>The Lead Member shall have “AA” class Registration with any of the department of State Government, Surat Municipal Corporation, Central Government etc. and who have a certificate of registration with Employees Provident Fund Organization. The documents like Registration certificate, Solvency Certificate, Provident Fund Number etc. of lead partner and all JV partners shall be submitted</p>
		17	Joint Venture			<p>(j) In case of Joint Venture financial strengths ( i.e Turn over and Experience in Similar Nature of Work) of each of the JV members individually shall not be less than Minimum Qualifying Criteria worked out in proportionate to their financial stakes in the JV. In case of physical criteria, either of the JV members shall meet the qualifying requirement in any single completed project without taking into account their financial stake in the JV agreement..</p>	<p>(j) In case of Joint Venture financial strengths ( i.e Turn over and Experience in Similar Nature of Work) of each of the JV members individually shall not be less than Minimum Qualifying Criteria worked out in proportionate to their financial stakes in the JV. In case of physical criteria, either of the JV members shall meet the qualifying requirement in any single completed project, applicable individually to all three physical components, without taking into account their financial stake in the JV agreement..</p>

Reference Of Tender Clause						Instead Of	Now Read As
Sr. No.	Volume No.	Page No.	Clause No.	Para No./ Sr No.	Line		
						Each JV member shall have required registration certificate, solvency certificate, existence of company as per tender requirement. Each member shall satisfy these requirements separately.	Each JV member shall have required registration certificate, solvency certificate, existence of company as per tender requirement. Each member shall satisfy these requirements separately.
4	II-B- Price bid		Schedule B1- Sr.No. 5.1 / Schedule B2- Sr.No.7.1 / Schedule B3- Sr.No. 5.1 / Schedule B4- Sr.No. 5.1 / Schedule B5- Sr.No. 5.1 / Schedule B6- Sr.No. 5.1 / Schedule B7- Sr.No. 5.1 / Schedule B8- Sr.No. 5.1 / Schedule B9- Sr.No. 5.1 / Schedule B10- Sr.No. 5.1 / Schedule B11- Sr.No. 5.1 / Schedule B12- Sr.No. 7.1 / Schedule B13- Sr.No. 5.1 / Schedule B15-			Cautionary Traffic Signage- Providing and fixing sign boards made out of 2 mm aluminium sheet size 90 x 90 x 90 cms. Equilateral triangle as per design of IRC 67-2012. Pre treated with phosphating process and acid etching-coated with one of best quality epoxy primer and two coats of best quality epoxy paint- reflectorised with retro reflective sheeting as per latest M.O.S.T. Specifications- 3.1 m long stand post and frame fabricated from suitable size iron angle of 35 x 35 x 3 mm, 75 x 75 x 6 mm as required- painted with best quality epoxy coatings in black and white bends. The details of symbol for each board shall be as per the instruction of engineer in charge. The fixing as site shall be in 1-2-4 CC block of size 45 x 45 x 60 cms. for each leg. including excavation, curing etc. complete under the supervision of	Cautionary Traffic Signage- Providing and fixing sign boards made out of 2mm aluminum sheet / 4mm ACP (Aluminum composite Panel) size 90 x 90 x 90 cms. Equilateral triangle as per design of IRC 67-2012. Pre treated with phosphating process and acid etching- coated with one coat of epoxy primer and two coats of best quality epoxy paint; reflectorised with Micro Prismatic Grade retro reflective sheeting of Type-11 as per ASTM D-4956 and latest M.O.S.T. Specifications-Stand post height is as per As per IRC 67:2012 clause 4, sub clause 4.1 - On kerbed roads, the bottom edge of the lowest sign shall not be less than 2.1 m and not more than 2.5 m above the kerb. On roads without kerb, the bottom edge of the lowest sign shall not be less than 2 m and not more than 2.5 m above the crown of the pedestrians with frame fabricated from suitable size iron angle of 35 x 35 x 3 mm, 75

Reference Of Tender Clause						Instead Of	Now Read As
Sr. No.	Volume No.	Page No.	Clause No.	Para No./ Sr No.	Line		
			Sr.No. 5.1 / Schedule B16- Sr.No. 4.1			engineer in charge (B) High intensity grade.	x 75 x 6 mm as required- painted with best quality epoxy coatings in black and white bends. The details of symbol for each board shall be as per the instruction of engineer in charge. The fixing as site shall be in 1-2-4 CC block of size 45 x 45 x 60 cms or as approved by Engineer-in-charge for each leg. including excavation, curing etc. complete under the supervision of engineer in charge (B) High intensity grade. <b>For further details Bidder to Refer Revised Price Bid Schedule Uploaded on Website</b>
5	II-B- Price bid		Price Bid: Schedule B1- Sr.No. 5.2 / Schedule B2- Sr.No.7.2 / Schedule B3- Sr.No. 5.2 / Schedule B4- Sr.No. 5.2 / Schedule B5- Sr.No. 5.2 / Schedule B6- Sr.No. 5.2 / Schedule B7- Sr.No. 5.2 / Schedule B8- Sr.No. 5.2 / Schedule B9- Sr.No. 5.2 / Schedule B10- Sr.No. 5.2 /			Mandatory Traffic Signage- Providing and fixing sign boards made out of 2 mm aluminum sheet size 60 cms. diameter circle as per design of IRC 67-2012. Pre treated with phospheting process and acid etching- coated with one of best quality epoxy primer and two coats of best quality epoxy paint- reflectorised with retro reflective sheeting as per latest M.O.S.T. Specifications- 3.1 m long stand post and frame fabricated from suitable size iron angle of 35 x 35 x 3 mm, 75 x 75 x 6 mm as required- painted with best quality epoxy coatings in black and white bends. The details of	Mandatory Traffic Signage- Providing and fixing sign boards made out of 2mm aluminum sheet / 4mm ACP (Aluminum composite Panel) size 60 cms. diameter circle as per design of IRC 67-2012. Pre treated with phospheting process and acid etching- coated with one coat of epoxy primer and two coats of best quality epoxy paint ; reflectorised with Micro Prismatic Grade retro reflective sheeting of Type-11 as per ASTM D-4956 and latest M.O.S.T. Specifications- Stand post height is as per As per IRC 67:2012 clause 4, sub clause 4.1 - On kerbed roads, the bottom edge of the lowest sign shall not be less than 2.1 m and not more than 2.5 m above the kerb. On roads

Reference Of Tender Clause						Instead Of	Now Read As
Sr. No.	Volume No.	Page No.	Clause No.	Para No./ Sr No.	Line		
			Schedule B11- Sr.No. 5.2 / Schedule B12- Sr.No. 7.2 / Schedule B13- Sr.No. 5.2 / Schedule B15- Sr.No. 5.2 / Schedule B16- Sr.No. 4.2			symbol for each board shall be as per the instruction of engineer in charge. The fixing as site shall be in 1-2-4 CC block of size 45 x 45 x 60 cms for each leg. including excavation, curing etc. complete under the supervision of engineer in charge (B) High intensity grade.	without kerb, the bottom edge of the lowest sign shall not be less than 2 m and not more than 2.5 m above the crown of the pedestrians with frame fabricated from suitable size iron angle of 35 x 35 x 3 mm, 75 x 75 x 6 mm as required- painted with best quality epoxy coatings in black and white bends. The details of symbol for each board shall be as per the instruction of engineer in charge. The fixing as site shall be in 1-2-4 CC block of size 45 x 45 x 60 cms or as approved by Engineer-in-charge for each leg. including excavation, curing etc. complete under the supervision of engineer in charge (B) High intensity grade. <b>For further details Bidder to Refer Revised Price Bid Schedule Uploaded on Website</b>
6			Price Bid: Schedule B1- Sr.No. 5.3 / Schedule B2- Sr.No.7.3 / Schedule B3- Sr.No. 5.3 / Schedule B4- Sr.No. 5.3 / Schedule B5- Sr.No. 5.3 / Schedule B6- Sr.No. 5.3 / Schedule B7- Sr.No.			Facility/ Informatory Signage- Providing and fixing sign boards made out of 2 mm aluminum sheet- size 80 x 60 cms. Rectangle as per design of IRC 67-2012. Pre treated with phospheting process and acid etching- coated with one of best quality epoxy primer and two coats of best quality epoxy paint- reflectorised with retro reflective sheeting (type-11) as per latest M.O.S.T.Specifications- 3.1 m long stand	Facility/ Informatory Signage- Providing and fixing sign boards made out of 2 mm aluminum shee2mm aluminum sheet / 4mm ACP (Aluminum composite Panel)- size 80 x 60 cms. Rectangle as per design of IRC 67-2012. Pre treated with phospheting process and acid etching- coated with one coat of epoxy primer and two coats of best quality epoxy paint ; reflectorised with Micro Prismatic Grade retro reflective sheeting of Type-11 as per ASTM D-4956 and latest

Reference Of Tender Clause						Instead Of	Now Read As
Sr. No.	Volume No.	Page No.	Clause No.	Para No./ Sr No.	Line		
			5.3 / Schedule B8- Sr.No. 5.3 / Schedule B9- Sr.No. 5.3 / Schedule B10- Sr.No. 5.3 / Schedule B11- Sr.No. 5.3 / Schedule B12- Sr.No. 7.3 / Schedule B13- Sr.No. 5.3 / Schedule B15- Sr.No. 5.3 / Schedule B16- Sr.No. 4.3			post and frame fabricated from suitable size iron angle of 35 x35 x 3 mm, 75 x 75 x 6 mm as required- painted with best quality epoxy coatings in black and white bends. The details of symbol for each board shall be as per the instruction of engineer in charge. The fixing as site shall be in 1-2-4 CC block of size 45 x 45 x 60 cms for each leg. including excavation, curing etc. complete under the supervision of engineer in charge (B) High intensity grade	M.O.S.T. Specifications-Stand post height is as per As per IRC 67:2012 clause 4, sub clause 4.1 - On kerbed roads, the bottom edge of the lowest sign shall not be less than 2.1 m and not more than 2.5 m above the kerb. On roads without kerb, the bottom edge of the lowest sign shall not be less than 2 m and not more than 2.5 m above the crown of the pedestrians with frame fabricated from suitable size iron angle of 35 x 35 x 3 mm, 75 x 75 x 6 mm as required- painted with best quality epoxy coatings in black and white bends. The details of symbol for each board shall be as per the instruction of engineer in charge. The fixing as site shall be in 1-2-4 CC block of size 45 x 45 x 60 cms or as approved by Engineer-in-charge for each leg. including excavation, curing etc. complete under the supervision of engineer in charge (B) High intensity grade. <b>For further details Bidder to Refer Revised Price Bid Schedule Uploaded on Website</b>
7	I	86	Approved / Expected Brands			Approved / Expected Brands as per Volume I- Page 86 stands modified	Bidder to Refer Approved / Expected Brands as per attached Annexure A



Reference Of Tender Clause						Instead Of	Now Read As
Sr. No.	Volume No.	Page No.	Clause No.	Para No./ Sr No.	Line		
8	II-B- Price bid					Price Bid Schedule	Bidder to Refer Revised Price Bid Schedule Uploaded on Website
<b>Bid Submission Date</b>							
9	I	5	Section –I Notice Inviting Tender – Schedule of E-Tender			Last date of online submission of Tender documents (Technical Bid with duly filled & duly signed forms and Price Bid) - On or before date 30/01/2017 upto 17:00 hrs	Last date of online submission of Tender documents (Technical Bid with duly filled & duly signed forms and Price Bid) - On or before date 21/02/2017 upto 17:00 hrs
10	I	6	Section –I Notice Inviting Tender – Schedule of E-Tender			Submission of Tender fee, EMD & Addenda-Corrigendum if any in Hard copy. Original Demand Draft against Tender Fee and EMD and Original Affidavit's as mentioned in Tender Document. (Physical Submission only) - Up to 07/02/2017 till 17.00 hrs at the Office of "Chief Accountant, Surat Municipal Corporation, Muglisara, Surat – 395003 by R.P.A.D. / Speed post only"	Submission of Tender fee, EMD & Addenda-Corrigendum if any in Hard copy. Original Demand Draft against Tender Fee and EMD and Original Affidavit's as mentioned in Tender Document. (Physical Submission only) - Up to 28/02/2017 till 17.00 hrs at the Office of "Chief Accountant, Surat Municipal Corporation, Muglisara, Surat – 395003 by R.P.A.D. / Speed post only"

Reference Of Tender Clause						Instead Of	Now Read As
Sr. No.	Volume No.	Page No.	Clause No.	Para No./ Sr No.	Line		
11	I	6	Section –I Notice Inviting Tender – Schedule of E-Tender			Opening of Bid (Online) & PQ documents submitted electronically - If possible on 13/02/2017 at 16:00 hrs.	Opening of Bid (Online) & PQ documents submitted electronically -If possible on 07/03/2017 at 16:00 hrs.
12	II-B- Price bid		Price Bid: Schedule B1- Sr.No. 6.5 / Schedule B2- Sr.No.8.5 / Schedule B3- Sr.No. 6.5 / Schedule B6- Sr.No. 6.5 / Schedule B7- Sr.No. 6.5 / Schedule B8- Sr.No. 6.5 / Schedule B9- Sr.No. 6.5 / Schedule B10- Sr.No. 6.5 / Schedule B11- Sr.No. 6.5 / Schedule B12- Sr.No. 8.5 / Schedule B13- Sr.No. 6.3 / Schedule B14- Sr.No. 8.5 / Schedule B15- Sr.No. 6.5 / Schedule B16-			Bollard Lights: Provision at major junctions 1.2m c/c. Integral IP 44 bollard, housing in die cast aluminium with UV stabilised polycarbonate diffuser suitable for 1x18 W & 1x26W CFL (TC-D) Lamps. Installation as directed by Engineer In-charge.	Bollard Lights: Provision at major junction's 1.2m c/c. Supply and Installation of LED bollard Integral IP 65 bollard, housing in pressure die cast aluminium with UV stabilised polycarbonate diffuser with uniform distribution with 8W LED lamp with efficacy of 130lm/W with lumen output of min 560lm. CRI shall be 70(min) and CCT of 5500-6000K with standard bollard height of 700-1000mm. The luminaire shall have class 1 electrical protection inbuilt with surge protection with min 80% efficiency of driver with 50,000 burning hours as per L70.  <b>Bidder to Refer Revised Price Bid Schedule Uploaded on Website</b>

Reference Of Tender Clause						Instead Of	Now Read As
Sr. No.	Volume No.	Page No.	Clause No.	Para No./ Sr No.	Line		
			Sr.No. 5.5				
13	Volume I- Section I	6,7,9,168	-----			-----	-----.
			EMD (Bid Security)			EMD (BID SECURITY) - Rs 1.68 Cr (Rupees One Crore and Sixty Eight Lacs only) by the way of Pay order / Demand Draft issued in favour of Surat Smart City Development Limited, Surat through Nationalized Bank only payable at Surat. Or The tenderer shall pay Fifty (50%) percent amount of EMD i.e Rs. 0.84 Cr ( Rupees Eighty Four lacs) in the form of Bank Guarantee from the Nationalized Bank only , whose branch must be located at Surat only. The balance of the EMD - Remaining Fifty (50%) percent i.e Rs. 0.84 Cr (Rupees Eighty Four lacs) is to be deposited by way of pay order / Demand Draft issued in favour of Surat Smart City Development Limited, Surat through Nationalized Bank only payable	EMD (BID SECURITY) - Rs 1.22 Cr (Rupees One Crore and Twenty Two Lacs only) by the way of Pay order / Demand Draft issued in favour of Surat Smart City Development Limited, Surat through Nationalized Bank only payable at Surat. Or The tenderer shall pay Fifty (50%) percent amount of EMD i.e Rs. 0.61 Cr ( Rupees Sixty One lacs ) in the form of Bank Guarantee from the Nationalized Bank only , whose branch must be located at Surat only. The balance of the EMD - Remaining Fifty (50%) percent i.e Rs. 0.61 Cr (Rupees Sixty One lacs) is to be deposited by way of pay order / Demand Draft issued in favour of Surat Smart City Development Limited, Surat through Nationalized Bank only payable at Surat. EMD in no other form shall be accepted.

Reference Of Tender Clause						Instead Of	Now Read As
Sr. No.	Volume No.	Page No.	Clause No.	Para No./ Sr No.	Line		
						at Surat. EMD in no other form shall be accepted.	
			Estimated Value			Estimated Value - Rs. 167,51,99,158/- ( Rupees One Hundred and Sixty Seven Crore Fifty One Lacs Ninety Nine Thousand One Hundred and Fifty Eight)	Estimated Value - Rs. 122,39,50,777/- ( Rupees One Hundred and Twenty Two Crore Thirty Nine Lacs Fifty Thousand Seven Hundred and Seventy Seven Only)
14	Volume I- Section II- Qualifying Criteria	15				Solvency Certificate of Nationalized Bank for Rs. 34 Crores. (Not older than six months)	Solvency Certificate of Nationalized Bank for Rs. 24 Crore. (Not older than six months)
15	II-B- Price bid		<b>Signages &amp; Street Furniture</b> <b>BR1- City Information Board</b> : Schedule B1- Sr.No. 5.4 / Schedule B2- Sr.No.7.4 / Schedule B3- Sr.No. 5.4 / Schedule B4- Sr.No. 5.4 / Schedule B6- Sr.No. 5.4 / Schedule B8- Sr.No. 5.4 / Schedule B9- Sr.No. 5.4 / Schedule B10- Sr.No. 5.4 /			BR1- City Information Boards; Provision of 2nos at major junctions (placed diagonally opposite), & as directed by Engineer In-charge. Supply & install City Information Panel equipment with information area 600-900mm x 600-900mm double sided. It shall be made of Aluminium frame work, 8 mm toughened glass and electronic circuit to control its lighting, & the touch panel. It shall have 2 glazed doors, hinged on top of panel and kept in open position with gas struts. The structure shall be designed to withstand wind load according to regulations. The metal body, shall be powder coated and with graphic imprints that celebrate the	Removed from Scope of Work. <b>Bidder to Refer Revised Price Bid Schedule Uploaded on Website</b>

Reference Of Tender Clause						Instead Of	Now Read As
Sr. No.	Volume No.	Page No.	Clause No.	Para No./ Sr No.	Line		
			Schedule B11- Sr.No. 5.4 / Schedule B12- Sr.No. 7.4 / Schedule B13- Sr.No. 5.4 / Schedule B15- Sr.No. 5.4 / Schedule B16- Sr.No. 4.4			Textile Market of Surat. CIP shall be installed at major public spaces, & in the market areas, equipped with touch/ smart panels. The Foundation slab shall be made in min M25 concrete. The cast iron , nuts bolts , shall be rust proof , deep galvanized , powder coated etc . The stainless steel shall be treated to be resistant in all weathers.Detail technical specification sheet no. SF-04	
16	II-B- Price bid		<b>Landscape Work Tree Plantation</b> Schedule B1- Sr.No. 6.2 Schedule B2- Sr.No. 8.2 / Schedule B3- Sr.No. 6.2/ Schedule B4- Sr.No. 6.2 / Schedule B5- Sr.No. 6.2, Schedule B6- Sr.No. 6.2 / Schedule B7- Sr.No. 6.2 / Schedule B8- Sr.No. 6.2 / Schedule B9- Sr.No. 6.2 / Schedule B10- Sr.No. 6.2 / Schedule B11-			Tree Plantation; Spacing 12m c/c. Planting of Trees and their Maintenance for five Years (a) Providing and making tree pit of size 800 mm dia. It includes excavation up to 1200 mm depth including removal of the debris, metal and achieving the natural earth level sufficient for the growth of the trees. First 600 mm depth of pit shall be filled with garden soil. RCC hume pipe of 700 mm dia. NP3 class of 500 mm height to be placed on the filled garden soil and outside area of the Hume pipe to be filled with the good quality earth. Pit shall be filled with the garden soil, farm yard manure and required pesticides. etc. completed as directed by Engineer-In-Charge.	Removed from Scope of Work. <b>Bidder to Refer Revised Price Bid Schedule Uploaded on Website</b>

Reference Of Tender Clause						Instead Of	Now Read As
Sr. No.	Volume No.	Page No.	Clause No.	Para No./ Sr No.	Line		
			Sr.No. 6.2 / Schedule B12- Sr.No. 8.2 / Schedule B15- Sr.No. 6.2/ Schedule B16- Sr.No.5.2			(b) Supplying and planting of trees of specified variety in ready tree pit (as per above item) upto required depth, termite treatment, and planting of plants (height 8'-10' above bags/pots). Soil mounts 4"-6" in size. Tree plantation should be carried on neatly accurately and with perfection as per drawing and instruction given by the EIC. Providing and fixing tripod made of wooden balli, height 1.50mtr. Top bracket to be 300mm x 300mm. leg embedded in ground up to 300mm and to have tar coat. Work shall be done as shown in the drawing or as directed and approved by Engineer-In-Charge.	
17	II-B- Price bid		<b>Landscape Work Shrub Plantation</b> Schedule B1- Sr.No 6.3 / Schedule B2- Sr.No 8.3/ Schedule B3- Sr.No 6.3 / Schedule B4- Sr.No 6.3/ Schedule B5- Sr.No 6.3/ Schedule B6- Sr.No 6.3 / Schedule B7- Sr.No 6.3 / Schedule B8-			Shrub Plantation; For medians & separators. Making a Shrub—Pit, supply & Planting a Shrub : (a) Excavating the ground to a required depth of 300mm, removing & conveying unwanted stuff to a required distance as directed. (b)Application of anti—termite treatment in form of 15 ml of Chloropyriphos per plant on the walls & base of the pit.	Removed from Scope of Work. <b>Bidder to Refer Revised Price Bid Schedule Uploaded on Website</b>

Reference Of Tender Clause						Instead Of	Now Read As
Sr. No.	Volume No.	Page No.	Clause No.	Para No./ Sr No.	Line		
			Sr.No 6.3 / Schedule B9- Sr.No 6.3 / Schedule B10- Sr.No. 6.3 / Schedule B11- Sr.No. 6.3 / Schedule B12- Sr.No. 8.3 / Schedule B13- Sr.No. 6.3 / Schedule B15- Sr.No. 6.3 / Schedule B16- Sr.No.5.3			(c) Filling the pit with compost. (ratio 1 manure : 3 good earth : 1 sand by volume) (d) Flooding with water at least 15 ltr. Per plant , dressing including removal of rubbish & surplus earth, Maintenance of plants for a period of 36 months, replacement of any dead & sickly plants in this period, supply & spraying of insecticides as required. (e) Supply & planting of the shrub/climbers as per botanical name & specification mentioned.	
18	II-B- Price bid		<b>Signages &amp; Street Furniture</b> <b>Railing/ gaurd rail :</b> Schedule B1- Sr.No. 5.11 / Schedule B2- Sr.No.7.11 / Schedule B3- Sr.No. 5.11 / Schedule B4- Sr.No. 5.11 / Schedule B5- Sr.No. 5.10 / Schedule B6- Sr.No. 5.11 / Schedule B7- Sr.No. 5.10 / Schedule B8-				For Railing / Guard Rail – Bidder to Refer Revised Drawing S10-R1 uploaded along with this Amendment.

Reference Of Tender Clause						Instead Of	Now Read As
Sr. No.	Volume No.	Page No.	Clause No.	Para No./ Sr No.	Line		
			Sr.No. 5.11 / Schedule B9- Sr.No. 5.11 / Schedule B10- Sr.No. 5.11 / Schedule B11- Sr.No. 5.11 / Schedule B12- Sr.No. 7.11 / Schedule B14- Sr.No. 7.11 / Schedule B15- Sr.No. 5.11				

**The other terms and conditions and specifications described in the tender document will remain unchanged**

GENERAL MANAGER (IT)  
SURAT SMART CITY DEVELOPMENT LIMITED